

Cabernet franc N



Name of the variety in France

Cabernet franc

Origin

Cabernet franc is probably originally from the south west of France.

Synonyms

There is no officially recognized synonym in France nor in the other countries of the European Union, for this variety.


Legal information

In France, Cabernet franc is officially listed in the "Catalogue of vine varieties" on the A list and classified. This variety is also listed in the catalogues of other Member States of the European Union: Austria, Bulgaria, Cyprus, Czech Republic, Germany, Greece, Hungary, Italy, Malta, Netherlands, Portugal, Slovenia and Spain.

Use

Wine grape variety.

Evolution of cultivated areas in France



Descriptive elements

The identification is based on:

- the greenish-red young leaves with bronze spots,
- the pentagonal adult leaves, with three or five lobes, lateral sinuses with often a tooth inside, a petiole sinus with slightly overlapping lobes, medium teeth with straight sides, a hammered, shiny leaf blade, and on the lower side of the leaves, a low density of prostate hairs,
- the round-shaped berries

Genetic profile

Microsatellite	VVS2	VVMD5	VVMD7	VVMD27	VRZAG62	VRZAG79	VVMD25	VVMD28	VVMD32
Allel 1	137	223	239	178	194	248	238	227	239
Allel 2	145	238	262	186	204	260	254	235	257

Phenology

Bud burst: 5 days after Chasselas.

Grape maturity: mid-season, 2 weeks and a half to 3 weeks after Chasselas.

Suitability for cultivation and agronomic production

This fairly vigorous variety must be trained with moderately long pruning or short pruning in more favorable climatic zones. In terms of terroir, best results are generally achieved on clay-limestone soils, but good results may also be achieved with sandy soils in the absence of water stress.

Susceptibility to diseases and pests

Cabernet franc is moderately resistant to grey rot and is moderately sensitive to eutypa dieback and esca. It is susceptible to vine leafhoppers.

Technological potentiality

The bunches are medium in size and the berries are small. This variety is used to produce quality aromatic wines with average ageing potential. However, the 'sugar', 'acid' and 'polyphenol' (coloring intensity and tannic structure) potentials are moderate.

Clonal selection in France

The thirty-one certified Cabernet franc clones carry the numbers 210, 211, 212, 213, 214, 215, 326, 327, 332, 393, 394, 395, 396, 407, 408, 409, 542, 543, 544, 545, 622, 623, 678, 1155, 1156, 1158, 1166, 1167, 1203, 1204 and 1311. A conservatory of 100 clones was planted in 2001, in the wine-growing region of Anjou. Another conservatory of more than 100 clones was planted in the Bordeaux wine-growing region in 2003 and 2004 ; it is based on surveys conducted in Gironde and in the Pyrénées foothills.

Bibliographic references

- Catalogue des variétés et clones de vigne cultivés en France. Collectif, 2007, Ed. IFV, Le Grau-du-Roi, France.
- Documentary collections of the Centre de Ressources Biologiques de la Vigne de Vassal-Montpellier, INRAE - Montpellier SupAgro, Marseillan, France.
- Dictionnaire encyclopédique des cépages et de leurs synonymes. P. Galet, 2015, Ed. Libre&Solidaire, France.
- Traité général de viticulture, Ampélographie. P. Viala and V. Vermorel, 1901-1909, Ed. Masson, Paris, France.

Description of clones certified in France

Clone no.	Identity and availability		Agronomic data		Technological data	
	Origin	Selection	Fertility	Production level	Sugar level	Color potential
	Year of certification	Agronomic references	Bunch weight	Vigor	Titrable acidity	Tannic structure
210	Maine-et-Loire	ENTAV	medium to high	medium to high	medium	low
	1973	Loire-Valley Bordelais Sud-Ouest	medium to high		medium	low
	1.06 ha		medium to high	medium to high		supple and fruity wines
211	Maine-et-Loire	ENTAV	medium to high	medium to high	medium	medium
	1973	Loire-Valley Sudeste	medium		medium	low
	0.30 ha		high			representative wines of the variety
212	Maine-et-Loire	ENTAV	medium	medium	medium	medium
	1973	Loire-Valley Sudeste	medium		medium	medium

Clone no.	Identity and availability		Agronomic data		Technological data	
	Origin	Selection	Fertility	Production level	Sugar level	Color potential
	Year of certification	Agronomic references	Bunch weight	Vigor	Titrable acidity	Tannic structure
Surface area used for propagation (year)		Berry size		Susceptibility to grey rot	Aromatic intensity	Oenological suitability

ENTAV INRA®

213	Val-de-Loire	ENTAV	medium to high	high	medium	
	1973	Loire-Valley	high			
	0.16 ha					representative wines of the variety

ENTAV INRA®

214	Maine-et-Loire	ENTAV	low to medium	low	high	high
	1973	Loire-Valley Bordelais Sud-Ouest	low to medium		medium	medium to high
	14.51 ha		low			aromatic, fine and structured wines

ENTAV INRA®

215	Maine-et-Loire	ENTAV	medium	medium	medium	
	1973	Loire-Valley	medium to high			
	2.02 ha		low			representative wines of the variety

ENTAV INRA®

326	Gironde	INRA	low	low to medium	high	medium to high
	1975	Bordelais	medium	medium	medium	medium to high
	4.15 ha		medium			rich and structured wines

ENTAV INRA®

327	Gironde	INRA	low	low to medium	high	medium to high
	1975	Loire-Valley Bordelais Sud-Ouest	medium	high	medium to high	medium to high
	11.25 ha		low			rich and structured wines

ENTAV INRA®

332	Pyrénées-Atlantiques	INRA	medium to high	high	low to medium	low
	1975	Bordelais Val-de-Loire	medium to high		medium	low to medium
	1.69 ha		high			slightly light wines

ENTAV INRA®

393	Pyrénées-Atlantiques	ENTAV	medium to high	medium	medium to high	medium
	1975	Bordelais Sud-Ouest	medium		medium	high
	0.61 ha		low to medium			balanced wines, representative of the variety

ENTAV INRA®

394	Pyrénées-Atlantiques	ENTAV	low to medium	low to medium	medium to high	medium to high
	1975	Sud-Ouest	medium		medium	medium to high
	0.11 ha		medium			structured and colored wines

ENTAV INRA®

395	Pyrénées-Atlantiques	ENTAV	low	low	medium to high	high
	1975	Sud-Ouest	low to medium	high	medium	medium
	0.25 ha		medium to high			structured and colored wines

ENTAV INRA®

396	Pyrénées-Atlantiques	ENTAV	medium to high	medium	medium to high	medium to high
	1975	Sud-Ouest	medium		medium	medium to high
	1.10 ha		low to medium			balanced wines, representative of the variety

ENTAV INRA®

407	Gironde	ENTAV				
	1976					

Clone not widely distributed.

Clone no.	Identity and availability		Agronomic data		Technological data	
	Origin	Selection	Fertility	Production level	Sugar level	Color potential
	Year of certification	Agronomic references	Bunch weight	Vigor	Titrable acidity	Tannic structure
	Surface area used for propagation (year)		Berry size	Susceptibility to grey rot	Aromatic intensity	Oenological suitability
408	Maine-et-Loire 1976	ENTAV				



Clone not widely distributed.

409	Landes	ENTAV	medium to high	medium	medium	low to medium
	1976	Sud-Ouest	medium		medium	medium
	1.13 ha		medium			colored and balanced wines



542	Landes	ENTAV	high	high	medium	
	1978	Domaine de l'Espiguette Languedoc	medium		medium	
			medium to high			



543	Landes	ENTAV	medium	medium	medium	
	1978	Domaine de l'Espiguette Languedoc	medium		medium	
			medium			



544	Landes	ENTAV	medium	medium	medium	
	1978	Domaine de l'Espiguette Languedoc	medium		medium	
			medium			



545	Landes	ENTAV	medium	medium to high	medium	
	1978	Domaine de l'Espiguette Languedoc	medium to high		medium	
			medium			



622	Pyrénées-Atlantiques	ENTAV	medium	high	low to medium	medium
	1978	Sud-Ouest	high		medium	medium
	0.52 ha		medium			representative wines of the variety



623	Gironde	ENTAV	medium	medium	medium to high	
	1979	Loire-Valley	medium		medium	
	4.87 ha		medium			fruity, supple and well-balanced wines



678	Landes	ENTAV	medium	medium	medium to high	
	1979	Sud-Ouest	medium		medium	
	0.55 ha		medium			representative wines of the variety



1155	Val-de-Loire	INRA - IFV	inférieure à moyenne	inférieur	supérieure	supérieur
	2018	Maine-et-Loire	inférieur		moyenne	
					supérieure	vins fins, colorés, ronds et bien équilibrés



1156	Gironde	CA33 - IFV	low	low	high	high
	2012	Bordelais	low		medium	medium to high
			low			wines appreciated for their aromatic intensity and tannic structure



1158	Gironde	CA33 - IFV	low	low	high	high
	2015	Bordelais	low		medium	medium to high
			low		medium to high	wines appreciated for their aromatic intensity and tannic structure



Clone no.	Identity and availability		Agronomic data		Technological data	
	Origin	Selection	Fertility	Production level	Sugar level	Color potential
	Year of certification	Agronomic references	Bunch weight	Vigor	Titrable acidity	Tannic structure
Surface area used for propagation (year)		Berry size		Susceptibility to grey rot	Aromatic intensity	Oenological suitability
1166	Gironde	INRA - CA33 - IFV	low	low	high	high
	2011	Bordelais	low		low to medium	medium to high
			low			colored and structured wines
ENTAV INRA®						
1167	Gironde	INRA - CA33 - IFV	low	low	high	high
	2011	Bordelais	low to medium		medium to high	medium to high
			low			colored and structured wines
ENTAV INRA®						
1203	Maine-et-Loire	INRA - IFV	low to medium	medium	medium to high	high
	2014	Loire-Valley	low		medium	
					high	colored, round and well-balanced wines
ENTAV INRA®						
1204	Maine-et-Loire	INRA - IFV	low to medium	low	high	high
	2014	Loire-Valley	low		medium	
					high	fine, colored, round and well-balanced wines
ENTAV INRA®						
1311	Gironde	Pépinières Mercier - IFV				
	2019					
ENTAV INRA®						



Cette œuvre est mise à disposition selon les termes de la [Licence Creative Commons Attribution - Pas d'Utilisation Commerciale - Partage dans les Mêmes Conditions 4.0 International](#)



l'institut Agro | SupAgro
agriculture • alimentation • environnement

